COVID Vaccinated Individuals Should Undergo Cardiac Screening

TRUTH11.COM

Dec 31, 2025 1 min



Exposing The Darkness | Lioness of Judah Ministry | lionessofjudah.substack.com

Nicolas Hulscher, MPH | x.com/NicHulscher

Our new study indicates that ~1-3% of vaccinated individuals suffer subclinical heart damage — and **fatal cardiac arrest can be the first manifestation**.

This means MILLIONS likely have unrecognized heart damage.

We published the first screening and treatment approach for the millions of individuals with unrecognized vaccine-induced cardiac damage in a best attempt to prevent fatal cardiac arrest.

Possible warning signs people may notice:

Chest discomfort

Palpitations or irregular beats

Lightheadedness or near-fainting

Exercise intolerance

Heart-rate instability (including POTS-like patterns)

Labile blood pressure

Management protocol:

Serial biomarker testing

Repeat imaging (ECG/MRI)

Avoid vigorous exercise until markers normalize

Nattokinase, Bromelain, Curcumin, and Colchicine to degrade circulating Spike protein and reduce inflammatory load.

Image: Source [Edited]

Original Article: https://lionessofjudah.substack.com/p/breaking-all-covid-vaccinated-individuals

COMMENTS (0)

Start the conversation

Become a member of **Truth11.com** to start commenting.

Sign up now

Already a member? **Sign in**

Subscribe to Truth11.com

Receive Articles By Email • Support Independent Media

Subscribe now

Support Truth11.com | • Make A Donation

• Become A Monthly Subscriber

© Truth11.com 2025